



NIPM-QCDR non-MIPS Measures for 2017

Measures Designed by ASIPP for Interventional Pain Medicine

Appropriate patient selection for diagnostic facet joint procedures
Appropriate patient selection for trial spinal cord stimulation
Appropriate patient selection for use of epidural injections in managing pain originating in the sacral, lumbar, thoracic or cervical spine
Avoiding excessive use of epidural injections in managing chronic pain originating in the cervical and thoracic spine
Avoiding excessive use of epidural injections in managing chronic pain originating in the lumbosacral spine
Avoiding excessive use of therapeutic facet joint interventions in managing chronic cervical and thoracic spinal pain
Avoiding excessive use of therapeutic facet joint interventions in managing chronic lumbar spinal pain
Rate of caudal and interlaminar epidural injections without dural puncture
Shared decision-making regarding anticoagulant and antithrombotic use in the setting of caudal or interlaminar epidural injections

NIPM-QCDR MIPS Measures for 2017

Standard Measures from CMS Included in the Registry

MIPS Quality Measure No.	Measure Title
9	Major Depressive Disorder (MDD): Antidepressant Medication During Acute Phase for Patients with MDD
21	Perioperative Care: Selection of Prophylactic Antibiotic – First OR Second Generation Cephalosporin
39	Screening for Osteoporosis for Women Aged 65-85 Years of Age
47	Care Plan
107	Adult Major Depressive Disorder (MDD): Suicide Risk Assessment
109	Osteoarthritis (OA): Function and Pain Assessment
110	Preventive Care and Screening: Influenza Immunization
111	Pneumococcal Vaccination Status for Older Adults
116	Avoidance of Antibiotic Treatment in Adults With Acute Bronchitis
126	Diabetes Mellitus: Diabetic Foot and Ankle Care, Peripheral Neuropathy
127	Diabetes Mellitus: Diabetic Foot and Ankle Care, Ulcer Prevention

128	Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan
130	Documentation of Current Medications in the Medical Record
131	Pain Assessment and Follow-Up
134	Preventive Care and Screening: Screening for Depression and Follow-Up Plan
145	Radiology: Exposure Dose or Time Reported for Procedures Using Fluoroscopy
154	Falls: Risk Assessment
155	Falls: Plan of Care
177	Rheumatoid Arthritis (RA): Periodic Assessment of Disease Activity
178	Rheumatoid Arthritis (RA): Functional Status Assessment
182	Functional Outcome Assessment
220	Functional Status Change for Patients with Lumbar Impairments
226	Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention
236	Controlling High Blood Pressure

238	Use of High-Risk Medications in the Elderly
261	Referral for Otologic Evaluation for Patients with Acute or Chronic Dizziness
276	Sleep Apnea: Assessment of Sleep Symptoms
278	Sleep Apnea: Positive Airway Pressure Therapy Prescribed
312	Use of Imaging Studies for Low Back Pain
317	Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented
318	Falls: Screening for Future Fall Risk
357	Surgical Site Infection (SSI)
370	Depression Remission at Twelve Months
371	Depression Utilization of the PHQ-9 Tool
373	Hypertension: Improvement in Blood Pressure
374	Closing the Referral Loop: Receipt of Specialist Report
408	Opioid Therapy Follow-up Evaluation
411	Depression Remission at Six Months

412	Documentation of Signed Opioid Treatment Agreement
414	Evaluation or Interview for Risk of Opioid Misuse
418	Osteoporosis Management in Women Who Had a Fracture
419	Overuse Of Neuroimaging For Patients With Primary Headache And A Normal Neurological Examination
431	Preventive Care and Screening: Unhealthy Alcohol Use: Screening & Brief Counseling
435	Quality of Life Assessment For Patients With Primary Headache Disorders

Learn more about the ASIPP NIPM-QCDR
and sign up at ArborMetrix.com/NIPM-QCDR